

JUTA GP₁®



JUTA GP® TITAN TAPE

100mm WIDE DOUBLE SIDED TAPE
APPLIED TO FULL WIDTH OF LAP

JUTA GP® TITANFLEX

MIN. 30mm SAND BLINDING OR INSULATION

GP₁ - TITANFLEX
TAPED JOINT

JUTA GP₁



JUTA GP® TITAN TAPE

100mm WIDE DOUBLE SIDED TAPE
APPLIED TO FULL LAP

JUTA GP® TITANBOND

INSTALLED FLEECE SIDE UP

MIN. 30mm SAND BLINDING OR INSULATION

GP₁ - TITANBOND
TAPED JOINT

JUTA GP₁®



INSTALLED SELF ADHESIVE FACE
DOWN ONTO CONCRETE SCREED

JUTA GP® TITANTANK

CONCRETE SCREED BLINDING

GP₁ - TITANTANK
SELF ADHESIVE JOINT

JUTA GP₁®



INSTALLED SELF ADHESIVE FACE
DOWN ONTO CONCRETE SCREED

JUTA GP® SAM

CONCRETE SCREED BLINDING

GP₁ - GP SAM
SELF ADHESIVE JOINT

DRAWING TITLE

JUTA GP₁® GAS MEMBRANE
GP₁ TO TITAN LAPPING DETAILS

DRAWING NUMBER

JUTA.GP1.041

NOTES

- Detail is generic to application so should be used as a guide not a specific installation detail.
- JUTA suggest that waterproofing membranes including JUTA WP SAM should be installed by suitably experienced persons. If unfamiliar with products and applications, please contact JUTA for Specialist Contractors Details.
- JUTA WP SAM can be applied to reinforced concrete, concrete blockwork and masonry. It can also be applied to various masonry wall systems (i.e. ICF or Stepoc.) but please contact JUTA or a specialist to confirm suitability of primers and adhesive on structure.
- All surfaces must be prepared with 2 coats of JUTA GP Primer before application. A minimum of 2hrs must be left between coats to allow the primer to become tacky to aid adhesion. Please refer to JUTA WP SAM Installation Guide for further information
- All externally applied membrane should be protected from damage prior to backfilling. This can be achieved using standard protection boards or better still, JUTA PD1700 which is a protection and drainage sheet layer which additionally creates a void between the membrane and earth to reduce the change of hydrostatic pressure onto the structure and direct any groundwater to land drain locations.
- All design decisions made by others that might have an impact on the gas and waterproof design performance should be brought to the attention of the design team and Juta UK Ltd. Final decisions and/or any recommendations should be approved by the design team and Juta UK Ltd.
- Dimensions are not to be scaled from this drawing. All written measurements are to be checked on site by the contractor.
- All rights described in chapter IV of the copyright, design and patents act 1988 have been generally asserted.

DRAWN BY

PD

CHECKED BY


PF

SCALE

Not to Scale

DATE

Nov 2019



MELTON GROVE WORKS
BLACKPOOL ROAD
LYTHAM
FY8 5PL

Tel: 01772 754177

JUTA
Specialist Contractors